



Fall prevention equipment compliance

Anchors, static lines, harness and ladders

**workplace
access&safety®**



There's only one way to be sure your roof anchors, static lines and harnesses are ready to save a life. And, by law, roof anchors and static lines need to be tested and recertified every six to 12 months, depending on your state.

Appropriately qualified and competent technicians must carry out the tests and the results recorded so Work-Cover inspectors can verify your equipment's status.

The requirements are in tandem with those of the Work Health and Safety Act for Persons Conducting a Business Undertaking (PCBU) and company officers to carry out "due diligence" and ensure workplaces are safe.

Be sure of your testing and recertification

Your inspections and certification can deliver so much more than a tick-list.

Proof of your compliance

Whenever your risk management systems come under scrutiny, you'll be prepared. Certified anchorage points are individually tagged on site.

Workplace Access & Safety's auditors photograph and catalogue the status of each system component to build an electronic database that makes compliance reporting effortless. You can even log into your asset register online for fast, accurate real-time reporting.

Make existing anchors and static lines compliant

If your anchors are not already matched with certification documents and compliance plates, Workplace Access & Safety can bring them into compliance. We will provide testing, certification, compliance plates and user manuals.

Routine testing to maintain compliance

Each anchor and the static line system must be inspected. Chemically set and friction set anchors must be tested to 50% of their load limits. The cable of the static line needs to be load tested every six to 12 months, depending on your state's regulations.

Design check to avoid disaster

The correct layout is critical to the performance of safety anchors and static lines. Too close to the edge and your people risk the lethal pendulum effect, too far from the edge and gutters are inaccessible. Workplace Access & Safety will design and assess your fall prevention positioning for user-friendly and safe operation to ensure that the "restraint technique" can be applied.

Rescue plans that comply and really work

If the unthinkable happens and somebody falls from your roof, every moment counts. Even in a harness, there's only 10 to 15 minutes before the potentially lethal suspension trauma takes its toll. Ask Workplace Access & Safety for a rescue plan that complies with fall prevention standards and could save a life.

Documentation done!

Streamline your administration with fall prevention documentation and a roof access permit written by Workplace Access & Safety. User manuals, site induction, roof layout plans and roof access permits will have your administration in order quickly and efficiently – everything you need for mandatory contractor inductions!

National service for consistent compliance

Workplace Access & Safety's own OHS-trained trades-people service sites right around Australia, so you can standardise – and simplify – your safety management while being guaranteed a professional approach to every one of your sites.

"Workplace Access & Safety went through our competitive tendering process and their price, together with their methodology, won them the tender. I'm glad they did because their knowledge and skills are good. They surveyed about 100 buildings for us and overall, they did a good job. They are very good and I would recommend them to anyone."

- G. Gunachandran, Building Facilities Co-ordinator, Fairfield City Council



Systematic and cost-effective

Because fall prevention is Workplace Access & Safety's specialty, your anchor and static line inspection will be conducted with efficiency and care.

Automated data capture technology means our height safety experts can provide you with accurate and detailed reports in the shortest possible turnaround times.

Database and automatic scheduling tools

To keep you on top of compliance, Workplace Access & Safety provides a reminder service that alerts you to important dates and keeps your systems up to date.

Everything you need in fall prevention

Workplace Access & Safety has you covered when it comes to safe work at heights: ask about our ladder inspections, risk assessment, audits and installations.

Workplace Access & Safety: OHS purity, transparency and real practicality.



What to watch out for: six common failure points

1. *Designed and positioned incorrectly*

The right equipment needs to be in the right configuration to save lives. For example: don't allow abseil and fall prevention anchors to be confused. Do a design check.

2. *System not certified*

Components not identifiable and no history of product or installers, no load rating information.

3. *Designed for fall arrest*

A technique of work positioning rather than fall arrest must be arranged wherever practicable. Workplace Access & Safety investigates safer, low cost measures that may even avoid roof access.

4. *Equipment not matched to users*

Consider the resources and skills of the people using the equipment. A vertical ladder line may suit a telecommunications environment where two riggers are working, trained in rescue and doing this on a daily basis. Not so for a school where teachers or grounds staff climb on the roof to retrieve balls. We'll consult and provide solutions that suit your site and people.


5. *Untrained supervisors*

Are your people equipped to supervise the management of the system, including the induction of contractors? We will train your people and provide them with the systems they need.

6. *Incorrect installation*

Safety anchors look like glorified eyebolts but need to save lives. Incorrectly fixed or oriented anchors can fail with tragic consequences. Talk to us to get it right.

Pendulum Effect



Some of our many customers



Quality Assurance ISO



AS 1657
Approved

AS 1657 Product Certification

AS 1657 equipment (guardrail, staircases, ladders, platforms and walkways) is independently certified to Australian standard by SAI Global, and products are individually labelled with the "5 tick" certification. It provides you with third party assurance that our product meets the product standard, guaranteeing you with reliability, quality assurance and safety.



Health & Safety
AS 4801

AS 4801 Occupational Health and Safety

Just like you do, we care about the safety of our people and OHS is more than skin deep at Workplace Access & Safety. Be confident your fall prevention installation is compliant and low-risk, with our systematic and professional OHS procedures.



Quality
ISO 9001

ISO 9001 Quality

ISO 9001 is by far the world's most established quality framework, currently being used by over 750,000 organisations in 161 countries. This is the standard that underpins Workplace Access & Safety's performance.



Environment
ISO 14001

ISO 14001 Environment

International Standard ISO 14001 is the basis of Workplace Access & Safety's Environmental Management System (EMS), so you can be sure your fall prevention equipment is green and safe.



NATA™ Accredited Inspections & Testing

Workplace Access & Safety have been accredited by the National Association of Testing Authorities (NATA) to perform fall prevention inspections on Fall arrest systems; Anchorages and holding points; and Ladders.



CodeMark - BCA approval

The CodeMark scheme assures you of compliance with the BCA (Building Code of Australia) and that our products meet the National Construction Code.

You're invited to check the details of Workplace Access & Safety's credentials – all verified by SAI Global – any time. Workplace Access & Safety is dedicated to safety and making your business compliance easier

Like to know more about height safety audits?

Call 1300 552 984, email audit@workplaceaccess.com.au or visit www.workplaceaccess.com.au

T 1300 552 984 F 1300 551 612 www.workplaceaccess.com.au

Victoria (Head Office) 42-46 Cochrane Road, Moorabbin, VIC 3189
New South Wales • Queensland • South Australia • Western Australia

